

external link (opens in a new window)

Search Sources Analytics Alerts My list Settings Live Chat Help Tutorials

Quick Search

Search

Back to results | < Previous 159 of 186 Next >

[Link to Full Text](#) | [Download](#) [Export](#) [Print](#) [E-mail](#) [Create bibliography](#) [Add to My List](#)

Iranian Journal of Allergy, Asthma and Immunology

Volume 6, Issue 1, March 2007, Pages 9-14

Association between the polymorphisms of IL-4 gene promoter (-590C>T), IL-13 coding region (R130Q) and IL-16 gene promoter (-295T>C) and allergic asthma

Hosseini-Farahabadi, S.^a, Tavakkol-Afshari, J.^{ad}, Rafatpanah, H.^b, Farid-Hosseini, R.^b, Daluei, M.K.^c

^a Department of Immunogenetics, Bu-Ali Research Institute, Mashhad University of Medical Sciences, Mashhad, Iran^b Department of Allergy and Clinical Immunology, Mashhad University of Medical Sciences, Mashhad, Iran^c Department of Epidemiology and Statistics, Ghaem Medical Center, Mashhad University of Medical Sciences, Mashhad, Iran^d Department of Immunology, Bu-Ali Research Institute, Mashhad University of Medical Sciences, Mashhad, Iran

Abstract

[View references \(14\)](#)

Allergic asthma is a multifactorial disease, influenced by genetic and environmental factors. Recent family-based studies have revealed evidence for linkage of human chromosomes 5q31-33, 12q15-24, 11q13 and 15q23.6 as regions likely to contain genes related to asthma. Among the candidate genes in these regions are the genes encoding for human interleukin-4, interleukin-13 and interleukin-16. To evaluate this linkage, we examined an Iranian population of patients with asthma. A total of 30 patients with allergic asthma and 50 normal subjects were studied. Allergic asthma was confirmed using skin prick test and spirometry. DNA was extracted from blood cells and IL-4 (-590C>T), IL-13 (R130Q) and IL-16 (-295T>C) polymorphisms were determined by PCR-RFLP method. Out of 30 patients with allergic asthma, the following genotypes for IL-4, IL-13 and IL-16 cytokines were found: IL-4 genotypes consisted of 17 (56.7%) CC, 8 (26.7%) CT and 5 (16.7%) TT; IL-13 genotypes consisted of 11 (36.7%) GG, 13 (43.3%) GA and 6 (20%) AA; IL-16 genotypes consisted of 23 (76.7%) TT and 7 (23.3%) CT. No patient showed CC genotype for IL-16. A higher proportion of case subjects with the C allele for the IL-4, G allele for the IL-13 and T allele for the IL-16 polymorphisms was found compared with the T, A and C alleles, respectively. These results suggest an influence of genetic variability at the promoter of IL-4 gene (-590C>T) and a coding region of IL-13 gene (R130Q) on the occurrence of allergic asthma and no relationship between IL-16 promoter polymorphism (-295T>C) and this disease. Copyright© 2006, Iranian Journal of Allergy, Asthma and Immunology. All rights reserved.

Reaxys Database Information

|

Author keywords

Allergic asthma; Interleukin-13; Interleukin-16; Interleukin-4; Polymorphism

Indexed Keywords

EMTREE drug terms: interleukin 13; interleukin 16; interleukin 4

EMTREE medical terms: adult; allele; allergic asthma; article; blood cell; clinical article; controlled study; correlation analysis; DNA extraction; female; genetic polymorphism; genetic variability; genotype; human; human cell; Iran; linkage analysis; male; polymerase chain reaction; prick test; promoter region; restriction fragment length polymorphism; skin test; spirometry

MeSH: Adolescent; Adult; Asthma; Female; Forced Expiratory Volume; Genotype; Humans; Interleukin-13; Interleukin-16; Interleukin-4; Male; Middle Aged; Open Reading Frames; Polymorphism, Genetic; Promoter Regions (Genetics)

Medline is the source for the MeSH terms of this document.

Chemicals and CAS Registry Numbers: interleukin 13, 148157-34-0; Interleukin-13; Interleukin-16; Interleukin-4, 207137-56-2

Cited by since 1996

This article has been cited **15 times** in Scopus: (Showing the 2 most recent)

Chu, Y., Hua, L., Liu, Q.
A common variant associated with asthma, interleukin 13 r130q, promotes the production of ige
(2012) *International Journal of Immunogenetics*

Liu, S., Li, T., Liu, J.
Interleukin-4 rs2243250 polymorphism is associated with asthma among Caucasians and related to atopic asthma
(2012) *Cytokine*

[View details of all 15 citations](#)

Inform me when this document is cited in Scopus:

[Set alert](#) | [Set feed](#)

Related documents

Showing the 2 most relevant related documents by all shared references:

Gao, L.-B., Rao, L., Wang, Y.-Y.
The association of interleukin-16 polymorphisms with IL-16 serum levels and risk of colorectal and gastric cancer
(2009) *Carcinogenesis*

Deng, J.-M., Shi, H.-Z.
Interleukin-16 in asthma
(2006) *Chinese Medical Journal*

[View all related documents](#) based on all shared references or [select the shared references](#) to use

Find more related documents in Scopus based on:

[Authors](#) | [Keywords](#)

More By These Authors

The authors of this article have a total of **100 records** in Scopus: (Showing 5 most recent)

Ghaffari, J., Mohammadzadeh, I., Khalilian, A., Rafatpanah, H., Mohammadjafari, H., Davoudi, A.
Prevalence of asthma, allergic rhinitis and eczema in elementary schools in sari (Iran)
(2012) *Caspian Journal of Internal Medicine*

Malekshah, O.M., Lage, H., Bahrami, A.R., Afshari, J.T., Behravan, J.
PXR and NF- B correlate with the inducing effects of IL-

[Add apps](#) | [Help](#)